



ELSEVIER

Electroencephalography and clinical Neurophysiology 101 (1996) 555-557




Table of Contents

VOLUME 101 (1996)

REVIEW ARTICLE

- F-waves in clinical neurophysiology: a review, methodological issues and overall value in peripheral neuropathies
C.P. Panayiotopoulos, E. Chroni (UK) 365

MAIN ARTICLES

- Components of EMG symmetry and variability in parkinsonian and healthy elderly gait
R.A. Miller, M.H. Thaut, G.C. McIntosh, R.R. Rice (USA) 1
- Apomorphine can increase cutaneous inhibition of motor activity in Parkinson's disease
P.D. Clouston, C.L. Lim, C. Sue, J.G.L. Morris, C. Yiannikas (Australia) 8
- Cortical modulation of spinal excitability: an F-wave study
B. Mercuri, E.M. Wassermann, P. Manganotti, K. Ikoma, A. Samii, M. Hallett (USA) 16
- Sympathetic skin responses from the limbs and the genitalia: normative study and contribution to the evaluation of neuro-urological disorders
R.J. Opsomer, P. Boccasena, R. Traversa, P.M. Rossini (Italy, Belgium) 25
- Abnormal excitability of the corticospinal pathway in patients with amyotrophic lateral sclerosis: a single motor unit study using transcranial magnetic stimulation
N. Kohara, R. Kaji, Y. Kojima, K.R. Mills, H. Fujii, T. Hamano, J. Kimura, N. Takamatsu, T. Uchiyama (Japan, UK) 32
- Pre-symptomatic neurological involvement in Behçet's disease: the diagnostic role of magnetic transcranial stimulation
L. Parisi, M.E. Terracciano, G.O. Valente, E. Calandriello, M. Accorinti, M. Spadaro (Italy) 42
- Corticospinal direct response to transcranial magnetic stimulation in humans
M. Fujiki, M. Isono, S. Hori, S. Ueno (Japan) 48
- Effect of transcranial magnetic stimulation over the cerebellum on the excitability of human motor cortex
K.J. Werhahn, J. Taylor, M. Ridding, B.-U. Meyer, J.C. Rothwell (UK) 58
- Generator sites for spontaneous activity in neuromyotonia. An EMG study
T. Torbergesen, E. Stålberg, N.J. Brautaset (Norway, Sweden) 69
- Stretch reflexes of the proximal arm in a patient with mirror movements: absence of bilateral long-latency components
S.J. Fellows, R. Töpper, M. Schwarz, A.F. Thilmann, J. Noth (Germany) 79
- Impaired 'natural reciprocal inhibition' in patients with spasticity due to incomplete spinal cord injury
G.I. Boorman, R.G. Lee, W.J. Becker, U.R. Windhorst (USA, Canada) 84
- Modulation of human rhythmical jaw motor function by perioral argon laser stimuli
P. Svensson, L. Arendt-Nielsen (Denmark) 93
- Proximal and segmental motor nerve conduction in the sciatic nerve produced by percutaneous high voltage electrical stimulation
A. Inaba, T. Yokota, T. Komori, K. Hirose (Japan) 100
- Guillain-Barré syndrome or 'new' Chinese paralytic syndrome in Northern China?
X.F. Tang, X.J. Zhang (People's Republic of China) 105
- Impairment of posturo-kinetic co-ordination during initiation of forward oriented stepping movements in parkinsonian patients
N. Gantchev, F. Viallet, R. Aurenty, J. Massion (France, Bulgaria) 110
- A new method of quantifying human muscle sympathetic nerve activity for frequency domain analysis
Y. Sugiyama, T. Matsukawa, H. Suzuki, S. Iwase, A.S.M. Shamsuzzaman, T. Mano (Japan) 121
- Evaluation of the diagnostic performance of the expert EMG assistant MUNIN
S. Andreassen, A. Rosenfalck, B. Falck, K.G. Olesen, S.K. Andersen (Denmark, Finland) 129
- 'Slinky' coils for neuromagnetic stimulation
K.P. Zimmermann, R.K. Simpson (USA) 145

A new method using neuromagnetic stimulation to measure conduction time within the cauda equina P.J. Maccabee, M.E. Lipitz, T. Desudchit, R.W. Golub, V.W. Nitti, J.P. Bania, J.A. Willer, R.Q. Cracco, J. Cadwell, G.C. Hotson, L.P. Eberle, V.E. Amassian (USA)	153
Transverse-field activation mechanism in magnetic stimulation of peripheral nerves J. Ruohonen, M. Panizza, J. Nilsson, P. Ravazzani, F. Grandori, G. Tognola (Italy, Finland)	167
Activation and suppression of the sternocleidomastoid muscle induced by transcranial magnetic stimulation T. Odergren, I. Rimpiläinen (Sweden, Finland)	175
Electrophysiological findings in peripheral fibres of subjects with and without post-herpetic neuralgia M. Mondelli, C. Romano, P. Della Porta, A. Rossi (Italy)	185
Conduction velocity in the forearm segment of the median nerve in patients with impaired conduction through the carpal tunnel J.E. Fox, I.H. Bangash (UK)	192
The axonal carpal tunnel syndrome? P. Seror (France)	197
High frequency discharge of a fraction (f) of motor unit action potential P. Soichot, G. Roth (France, Switzerland)	201
EMG spike trains of succinylcholine-induced fasciculations in myalgic patients P.W.F. Poon, P.W. Lui, L.H. Chow, F.K. Lam, F.H.Y. Chan, Y.M. Lin (Taiwan, ROC; Hong Kong)	206
Muscle modifications in Parkinson's disease: myoelectric manifestations B. Rossi, G. Siciliano, M.C. Carboncini, M.L. Manca, R. Massetani, P. Viacava, A. Muratorio (Italy)	211
Classical conditioning of the human flexion reflex F.P. Kolb, D. Timmann (Germany)	219
Actigraphic evaluation of handedness G. Nagels, P. Mariön, B.A. Pickut, L. Timmermans, P.P. de Deyn (Belgium)	226
Magnetic transcranial stimulation in acute stroke: early excitation threshold and functional prognosis A. Catano, M. Houa, J.M. Caroyer, H. Ducarne, P. Noël (Belgium)	233
Hand motor cortex activation in a patient with congenital mirror movements: a study of the silent period following focal transcranial magnetic stimulation M. Cincotta, S. Lori, P.F. Gangemi, F. Barontini, A. Ragazzoni (Italy)	240
Clinical utility of magnetic corticospinal tract stimulation at the foramen magnum level Y. Ugawa, Y. Uesaka, Y. Terao, M. Suzuki, K. Sakai, R. Hanajima, I. Kanazawa (Japan)	247
Spatial differences in the sites of direct and indirect activation of corticospinal neurones by magnetic stimulation S.A. Wilson, B.L. Day, G.W. Thickbroom, F.L. Mastaglia (Australia, UK)	255
Short latency facilitation between pairs of threshold magnetic stimuli applied to human motor cortex H. Tokimura, M.C. Ridding, Y. Tokimura, V.E. Amassian, J.C. Rothwell (UK)	263
Enhancement of inhibitory mechanisms in the motor cortex of patients with cerebellar degeneration: a study with transcranial magnetic brain stimulation K. Wessel, M. Tegenthoff, M. Vorgerd, V. Otto, M.F. Nitschke, J.-P. Malin (Germany)	273
Central changes in muscle fatigue during sustained submaximal isometric voluntary contraction as revealed by transcranial magnetic stimulation M. Ljubisavljević, S. Milanović, S. Radovanović, I. Vukobratović, V. Kostić, R. Anastasijević (Yugoslavia)	281
Facilitation of motor evoked potentials by postcontraction response (Kohnstamm phenomenon) J. Mathis, V.S. Gurfinkel, A. Struppler (Switzerland, Russia, Germany)	289
Postexcitatory inhibition after transcranial magnetic single and double brain stimulation in Huntington's disease M. Tegenthoff, M. Vorgerd, F. Juskowiak, V. Roos, J.-P. Malin (Germany)	298
Central nervous system plasticity after spinal cord injury in man: interlimb reflexes and the influence of cutaneous stimulation B. Calancie, S. Lutton, J.G. Broton (USA)	304
Contralateral and ipsilateral EMG responses to transcranial magnetic stimulation during recovery of arm and hand function after stroke A. Turton, S. Wroe, N. Trepte, C. Fraser, R.N. Lemon (UK)	316
Voluntary contraction shortens peripheral conduction time in response to transcranial magnetic stimulation of the brain S.-I. Izumi, T.W. Findley, J.F. Andrews, M.C. Daum, N. Chino (USA, Japan)	329
Recurrent inhibition of soleus α -motoneurons during a sustained submaximal plantar flexion W.N. Löscher, A.G. Cresswell, A. Thorstensson (Sweden, Austria)	334
Task-dependent effects evoked by foot muscle afferents on leg muscle activity in humans M. Abbruzzese, V. Rubino, M. Schieppati (Italy)	339
The R3 component of the blink reflex: normative data and application in spinal lesions J. Ellrich, H.C. Hopf (Germany)	349
Wrist tremor: investigation of agonist-antagonist interaction by means of long-term EMG recording and cross-spectral analysis A. Boose, S. Spieker, C. Jentgens, J. Dichgans (Germany)	355

The importance of sample size for the estimation of F wave latency parameters in the peroneal nerve E. Chroni, N. Taub, C.P. Panayiotopoulos (UK)	375
The F-wave in the vastus lateralis M. and the segmental motor conduction times for L2/L4 motoneurons D. Wochnik-Dyjas, C. Głazowski, M. Niewiadomska (Poland)	379
Facilitation of motor evoked potentials in hand extensor muscles of stroke patients: correlation to the level of voluntary contraction B. Hauptmann, H. Hummelsheim (Germany)	387
Interhemispheric facilitation and inhibition studied in man with double magnetic stimulation A. Salerno, M. Georgesco, (France)	395
Improvement of amplitude variability of motor evoked potentials in multiple sclerosis patients and in healthy subjects J.F. Nielsen (Denmark)	404
Use and safety of a new repetitive transcranial magnetic stimulator E.M. Wassermann, J. Grafman, C. Berry, C. Hollnagel, K. Wild, K. Clark, M. Hallett (USA)	412
Amitriptyline, a combined serotonin and noradrenaline re-uptake inhibitor, reduces exteroceptive suppression of temporal muscle activity in patients with chronic tension-type headache L. Bendtsen, R. Jensen, J. Olesen (Denmark)	418
Electromyographic findings in transthyretin (TTR)-related familial amyloid polyneuropathy (FAP) P. Montagna, L. Marchello, R. Plasmati, A. Ferlini, M.C. Patrosso, F. Salvi (Italy)	423
Comparison of peripheral Ia and corticomotoneuronal composite EPSPs in human motoneurons K.E. Jones, B. Calancie, A. Hall, P. Bawa (Canada, USA)	431
Turn/amplitude parameter changes during sustained effort J. Finsterer, B. Mamoli (Austria)	438
Effect of photic conditioning on blink reflex recovery function in blepharospasm M. Katayama, N. Kohara, R. Kaji, Y. Kojima, H. Shibasaki, J. Kimura (Japan)	446
Motor control and kinetics during low level concentric and eccentric contractions in man K. Sjøgaard, H. Christensen, B.R. Jensen, L. Finsen, G. Sjøgaard (Denmark)	453
Quantitative analysis of tremor time series J. Timmer, M. Lauk, G. Deuschl (Germany)	461
Supplementary motor area in spatial coordination of bilateral movements: a new aspect to 'the SMA debate'? F. Uhl, A.W. Kornhuber, P. Wartberger, G. Lindinger, W. Lang, L. Deecke (Austria, Germany)	469
The effect of current direction induced by transcranial magnetic stimulation on the corticospinal excitability in human brain K. Kaneko, Shinya Kawai, Y. Fuchigami, H. Morita, A. Ofuji (Japan)	478
Electrophysiological findings in patients who received radiation therapy over the brachial plexus: a magnetic stimulation study A. Boyacıyan, A.E. Öge, J. Yazici, I. Aslay, A. Baslo (Turkey)	483
Electromyographic and positional changes in the elbows of spastic hemiparetic patients during walking R. Dickstein, Y. Heffes, N. Abulaffio (Israel)	491
Anticipatory postural adjustments during self-initiated perturbations of different magnitude triggered by a standard motor action A.S. Aruin, M.L. Latash (USA)	497
Postpulse effects on blink reflex responses J. Valls-Solé, M. Hallett, R. Alvarez (Spain, USA)	504
A comparison of computer-based methods for the determination of onset of muscle contraction using electromyography P.W. Hodges, B.H. Bui (Australia)	511
A system-based study of the variation in the amplitude of the compound sensory nerve action potential recorded using surface electrodes M.C. Pitt (UK)	520
Significance of A-waves recorded in routine motor nerve conduction studies C. Bischoff, E. Stålberg, B. Falck, L. Pukša (Germany, Sweden, Estonia)	528
The effects of cortical stimulation, anesthesia and recording site on somatosensory evoked potentials in the rat I. Koyanagi, C.H. Tator (Canada)	534
SHORT COMMUNICATION	
Evaluation of Hjorth parameters in forearm surface EMG analysis during an occupational repetitive task M. Mouzé-Amady, F. Horwat (France)	181
<i>Book Review</i>	67
<i>Publisher's Notes</i>	68, 184
<i>Index of Authors to Volume 101 (1996)</i>	543
<i>Index of Subjects to Volume 101 (1996)</i>	547
<i>Table of Contents to Volume 101 (1996)</i>	555

